

# SBC Registrierungsstring

Sollten sie einen SBC betreiben und den Registrierungsstring selbst definieren können, dann verwenden Sie bitte dieses Format.

```
Jan 1 15:00:00 spce proxy[15575]: NOTICE: <script>: New request on proxy - M=REGISTER R=sip:sip.telematica.at
F=sip:43xxxxxx@sip.telematica.at T=sip:43xxxxxx@sip.telematica.at IP=123.123.123.123:5060 (127.0.0.1:5060)
ID=7aba000363000c9e000d4f00005d8000@123.123.123.123 UA='Telematica PBX'
```

Hier muss sichergestellt werden, dass Sie die Header wie folgt setzen:

```
R=sip.telematica.at
F=43xxxxxx@sip.telematica.at
T=43xxxxxx@sip.telematica.at
```

## Aufbau des Strings

| M=REGISTER                                          | The SIP Method                                                                                                                                                 |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| R=sip:sip.telematica.at                             | SIP Request URI                                                                                                                                                |
| F=sip:43xxxxxx@sip.telematica.at                    | SIP From header                                                                                                                                                |
| T=sip:43xxxxxx@sip.telematica.at                    | SIP To header                                                                                                                                                  |
| IP=123.123.123.123:5060                             | The source IP where the message is coming from.<br>Between brackets it is shown the local internal IP where the message come from (in this case Load Balancer) |
| ID=7aba000363000c9e000d4f00005d8000@123.123.123.123 | SIP CallID                                                                                                                                                     |
| UA='Telematica PBX'                                 | SIP User Agent header                                                                                                                                          |